



Home > Auto Electronics > Central Locking System

Central Locking System/Control Unit

Central Locking System;, 1. with 3-channel Relay Output;, 2. Voltage range: (12 to 24V DC),, 3. Frequency: 315MHz and 433.92MHz - details see:

http://www.sourcingautoparts.com/central-locking-system-control-unit-10135297 Certification:CE Voltage:DC 24V Place of Origin: Fujian China (Mainland) Brand Name: Ucontrol Model Number:QN-BR007D3A Type:Central Locking System Model No ON-BR007D3A Voltage range:DC12V-24V Frequency:315MHz,433MHz(can be Channel:3-channel Code:rolling code Learns up:2 transmitters customized) Application:garage door/car centrol Trigger:positive and negative Certificate:CE,RoHS,SGS locking Facebook Twitter LinkedIn Google Central Locking System/Control Unit (QN-Inquiry BR007D3A) Specification 1.Learns rolling code: 2.Operating voltage: 12 to 24V DC; 3.Learn up to 2 remote keys; 4. Positive and negative trigger; 5. Three channels relay output; 6. Widely apply in garage door remote control system, car central locking (with function of opening car trunk); Features Learn rolling code Operating voltage: 12 to 24V DC Learn up to two remote keys Positive and negative trigger Three channels relay output Widely apply in garage door remote control system, car central locking (with function of opening car trunk) Environmental condition: Operating temperature: -20 to +60°C Storage temperature: -20 to +75°C Operating humidity: 5 to 75%RH Storage humidity: 5 to 75%RH Receipt signal Receiving distance: ≥80m (open ground, it varies with different remote performance) Receiving mode: super regeneration Operating frequency: customized 315MHz and 433.92MHz Modulation mode: AM (ASK/OOK) Output characteristics: Output channel: Three complete relays channel (each contains a normally closed contact, normally opened contact and public contact) Output load: Normally closed contact: 6A@250V AC, 10A@24V DC Normally opened contact: 10A@250V AC, 10A@120V DC Maximum switching voltage: 250V AC, 24V DC Data sheet Environmental condition: Operational Temperature: -20~60°C -20~75°C Storage Temperature: Operating Humidity: 5~75%RH Storage Humidity: 5~75%RH Power Requirement: DC :12V~24V,200mA Receipt Signal: Receiving Distance: ≥80m(Open ground,it varies with different remote performance) Receiving Mode: Super Regeneration

Modulation Mode: Output Characteristic:

Operating Frequency:

Output Channel:	Three complete relay channel: Each contains a Normally closed contact,Normally opened contact and public contact.	
Output Load:	Normally closed contact:AC:6A@250V,DC:10A@24V Normally opened contact:AC:10A@250V,DC:10A@120V	
Max Switching Voltage:	AC: 250V ,DC: 24V	
Mechanical Parameters:		

Contour Size:

Measurement Unit:mm,±0.5mm

315MHz & 433.92MHz for choosing

AM(ASK/OOK)

Case materials:

Engineering Plastics

Cables:

Cables:		
	Outward appearance:	
	Length:	50cm
	Cable Specification:	Output:AWG18 flexible stranded cable at 105°C Power: AWG22 flexible stranded cable at 105°C
	Plug specification:	Output:LH3.96mm×9line Power:LH3.96mm×2line

Order Information:

Model:	QN-BR007D3
Frequency:	315 MHz & 433.92 MHz
Package:	Carton box
Delivery terms:	Express,Shipping

Main Export Markets: Eastern Europe North America Mid East/Africa Central/South America Asia Western Europe Australasia

Worldwide

Image:









Packaging Detail:poly bag, blister, paper box, carton box or according to customers' requirements. |Delivery Detail:1-30days

Related Product for Central Locking System/Control Unit





kia keyless entry remote with trunk release and power window

- 1.Remote lock/unlock 2.Trunk release 3. Window closer output
- 4.Learning Code



Remote central door locking system 1. Factory produce and supply

2. Fit all cars



- Remote central door locking
- 1. Factory produce and supply 2. Fit all cars





1.Remote lock/unlock 2.Trunk release 3. Window closer output

system

Remote central door locking

keyless entry car door locks

keyless entry central locking

- system Remote central door locking
- system 1. Factory produce and supply
- 2. Fit all cars
- Remote central door locking
- system Remote central door locking
- system
- 1. Factory produce and supply 2. Fit all cars
 - Auto electronics car central locking system for 2 doors
- Auto electronics car central locking
- 1. auto door lock wire harness design



- Remote contral electric car door motor kit with one year arranty
- Electric car door motor kit with

Remote central door locking

- Remote central door locking system
- 1. Factory produce and supply 2. Fit all cars
- Heavy duty car door lock actuator motor, 1 master 1 slave, CE passed witj one year warranty car door lock actuator motorwarrantv
- 1. universal feature
- China central locking with cheap price good quality China central locking with cheap price good quality 1. Factory direct price with good quality





(C)2006-2014 Automobile Supplies Business Directory | All Rights Reserved

- 1 year arrantywarranty 1. universal design
- 2. 1 year warrantty







