



ROSE+BOPLA
ENCLOSURES

A PHOENIX MECANO COMPANY

ABS Watertight 09 Product Drawings Last Updated 3/31/2008

Rose+Bopla Enclosures
7330 Executive Way
Frederick, MD 21704
www.rose-bopla.com
rbinfo@pm-usa.com

Dimensional Drawings

For Secondary Services, Product Support, or To Order, Call 1-301-696-9800



Rose+Bopla's **ABS Watertight 09** enclosures are designed for a wide variety of electronic packaging applications. They are particularly suited for enclosing electrical and electronic com-

ABS Watertight 09 Enclosures

ponents and housing complete small control systems. These enclosures have been used for solar panel control boxes, medical oxygen monitors and electronic lighting dimmer control housings.

The ABS Watertight 09 enclosure offers the lowest cost in our watertight enclosure line. ABS is an excellent alternative when reduced material characteristics are sufficient. The low cost makes these boxes ideal for large production runs.

Made from injection-molded ABS plastic (Acrylonitrile-Butadiene-Styrene), the enclosure includes a base and lid, captive stainless steel lid screws, molded-in lid screw inserts in the base, and a neoprene watertight gasket. Metric press-in brass inserts for internal mounting bosses are also available.

TECHNICAL DATA:

- Color: Light Gray similar to RAL 7035 with a high-gloss finish
- Material: ABS. See ABS specification sheets in the Technical Information Chapter.
- Protection Classifications:
NEMA Types—up to Nema 4X
IP 66, EN 60529
- Gasket Temperature Range:
Neoprene Gasket −40°F to +176°F
Silicone Gasket −76°F to +266°F
RFI Gasket −40°F to +392°F
- Captive Stainless Steel Lid Screws
- Flammability: UL 94 HB
- Surface Resistance: 4×10^{14} Ohm / VDE 0303
- Disruptive Strength: 24 KV / mm / VDE 0303
- Toxicity: Halogen Free
- Options: (Minimum order may apply)
Special colors
RFI Protection

ABS Watertight 09 Enclosures						
Part Number	Length (Inches/mm)	Width (Inches/mm)	Height (Inches/mm)	Weight	Drawing Page #	
09050504 00	2.05 / 52	1.97 / 50	1.38 / 35	.08 lbs	17-53	
09050704 30	2.56 / 65	1.97 / 50	1.38 / 35	.11 lbs	17-53	
09080806 30*	3.23 / 82	3.15 / 80	2.17 / 55	.30 lbs	17-54	
09080809 30*	3.23 / 82	3.15 / 80	3.35 / 85	.38 lbs	17-54	
09081206 30*	4.72 / 120	3.15 / 80	2.17 / 55	.48 lbs	17-55	
09081209 30*	4.72 / 120	3.15 / 80	3.35 / 85	.49 lbs	17-55	
09081606 30*	6.30 / 160	3.15 / 80	2.17 / 55	.51 lbs	17-56	
09081609 00*	6.30 / 160	3.15 / 80	3.35 / 85	.61 lbs	17-56	
09082309 00	9.06 / 230	3.15 / 80	3.35 / 85	.61 lbs	17-63	
09121206 30*	4.80 / 122	4.72 / 120	2.17 / 55	.52 lbs	17-57	
09121209 30*	4.80 / 122	4.72 / 120	3.35 / 85	.65 lbs	17-57	
09121211 00	4.80 / 122	4.72 / 120	4.13 / 105	.77 lbs	17-58	
09121609 00	6.30 / 160	4.72 / 120	3.54 / 90	.87 lbs	17-58	
09121614 00	6.30 / 160	4.72 / 120	5.51 / 140	1.32 lbs	17-59	
09122008 30*	7.87 / 200	4.72 / 120	2.95 / 75	.87 lbs	17-59	
09122009 30	7.87 / 200	4.72 / 120	3.54 / 90	1.03 lbs	17-60	
09122410 00*	9.45 / 240	4.72 / 120	3.94 / 100	1.04 lbs	17-60	
09152008 30*	7.87 / 200	5.91 / 150	2.95 / 75	1.15 lbs	17-61	
09162409 00*	9.45 / 240	6.30 / 160	3.54 / 90	1.43 lbs	17-61	
09162412 00*	9.45 / 240	6.30 / 160	4.72 / 120	1.75 lbs	17-62	
09163610 00	14.17 / 360	6.30 / 160	3.94 / 100	2.17 lbs	17-62	
09203615 00*	14.17 / 360	7.87 / 200	5.87 / 149	3.41 lbs	17-64	
09233009 00*	11.81 / 300	9.06 / 230	3.35 / 85	2.01 lbs	17-64	
09233011 00*	11.81 / 300	9.06 / 230	4.33 / 110	2.54 lbs	17-65	
09403615 00	15.75 / 400	14.17 / 360	5.91 / 150	5.42 lbs	17-63	

Note: Dimensions are external. Metric is the primary dimension. Inch conversions and weights are for the user's convenience and are for reference only. "30" suffix indicates US made. Accessories shown on drawing page.




Polycarbonate/ABS Watertight

03050504 / 09050504 / 33050504 00

External Dimensions: L 52 x W 50 x H 35 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093132 00 M4x20 Stainless steel captive combo head lid screws. • 10082007 00 2.2mm Neoprene Gasket (6.69" length).
Accessories
<ul style="list-style-type: none"> • 10086123 00 Brass Mounting Inserts. • 10098679 00 Safety Lid screws. • 10093091 00 Allen head lid screws. • 10094110 00 Rubber Table feet. • 10091201 00 Thumb screws. • 10089020 00 Mounting Plate. • 10082012 00 2mm Silicone gasket. • 10082020 00 2mm RFI Gasket (6.69" length).




03050704 / 09050704 / 33050704 00

External Dimensions: L 65 x W 50 x H 35 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093132 00 M4x20 Stainless steel captive combo head lid screws. • 10082007 00 2.3mm Neoprene Gasket (7.48" length).
Accessories
<ul style="list-style-type: none"> • 10086123 00 Brass Mounting Inserts. • 10098679 00 Safety Lid screws. • 10093091 00 Allen head lid screws. • 10094110 00 Rubber Table feet. • 10091201 00 Thumb screws. • 10089010 00 Mounting Plate. • 10082012 00 2mm Silicone gasket. • 10082020 00 2mm RFI Gasket (7.48" length). • 10093214 00 M4.7x7.8mm Self tapping screw for mounting plate.



Dimensional Drawings


Polycarbonate/ABS Watertight

03080806 / 09080806 / 33080806 00

External Dimensions: L 82 x W 80 x H 55 mm

Page 1-16, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093133 00 M4x24 Stainless steel captive combo head lid screws. • 10082002 00 2.7mm Neoprene Gasket (11.02" length).
Accessories
<ul style="list-style-type: none"> • 10086123 00 Brass Mounting Inserts. • 10093163 00 Safety Lid screws. • 10093092 00 Allen head lid screws. • 10094110 00 Rubber Table feet. • 10052031 00 External Mounting Brackets. • 10061201 00 Terminal rails (TS 15). • 10093310 00 Thumb screws. • 10089021 00 Mounting Plate. • 10082013 00 3.3mm Silicone gasket. • 10082021 00 2.62mm RFI Gasket (11.02" length). • 10093214 00 M4.7x7.8mm Self tapping screw for mounting plate.




03080809 / 09080809 / 33080809 00

External Dimensions: L82 x W80 x H85 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093133 00 M4x24 Stainless steel captive combo head lid screws. • 10082002 00 2.7mm Neoprene Gasket (11.02" length).
Accessories
<ul style="list-style-type: none"> • 10086123 00 Brass Mounting Inserts. • 10093163 00 Safety Lid screws. • 10093092 00 Allen head lid screws. • 10094110 00 Rubber Table feet. • 10052031 00 External Mounting Brackets. • 10061201 00 Terminal rails (TS 15). • 10093310 00 Thumb screws. • 10089021 00 Mounting Plate. • 10082013 00 3.3mm Silicone gasket. • 10082021 00 2.62mm RFI Gasket (11.02" length). • 10083214 00 M4.7x7.8mm Self tapping screw for mounting plate.






03081206 / 09081206 / 33081206

External Dimensions: L 120 x W 80 x H 55 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093133 00 M4x24 Stainless steel captive combo head lid screws. • 10082002 00 2.7mm Neoprene Gasket (14.56" length).
Accessories
<ul style="list-style-type: none"> • 10086123 00 Brass Mounting Inserts. • 10093163 00 Safety Lid screws. • 10093092 00 Allen head lid screws. • 10094110 00 Rubber Table feet. • 10052031 00 External Mounting Brackets. • 10061202 00 Terminal rails (TS 15). • 10052131 00 External Hinge. • 10093310 00 Thumb screws. • 10089022 00 Mounting Plate. • 10082013 00 3.3mm Silicone gasket. • 10082021 00 2.62mm RFI Gasket (14.56" length). • 10093214 00 M4.7x7.8mm Self tapping screw for mounting plate.




03081209 / 09081209 / 33081209

External Dimensions: L 120 x W 80 x H 85 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093133 00 M4x24 Stainless steel captive combo head lid screws. • 10082002 00 2.7mm Neoprene Gasket (14.56" length).
Accessories
<ul style="list-style-type: none"> • 10086123 00 Brass Mounting Inserts. • 10093163 00 Safety Lid screws. • 10093092 00 Allen head lid screws. • 10094110 00 Rubber Table feet. • 10052031 00 External Mounting Brackets. • 10061202 00 Terminal rails (TS 15). • 10052131 00 External Hinge. • 10093310 00 Thumb screws. • 10089022 00 Mounting Plate. • 10082013 00 3.3mm Silicone gasket. • 10082021 00 2.62mm RFI Gasket (14.56" length). • 10093214 00 M4.7x7.8mm Self tapping screw for mounting plate.



Dimensional Drawings


Polycarbonate/ABS Watertight

03081606 / 09081606 / 33081606 00

External Dimensions: L160 x W80 x H55 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093133 00 M4x24 Stainless steel captive combo head lid screws. • 10082002 00 2.7mm Neoprene Gasket (17.71" length).
Accessories
<ul style="list-style-type: none"> • 10086123 00 Brass Mounting Inserts. • 10093163 00 Safety Lid screws. • 10093092 00 Allen head lid screws. • 10094110 00 Rubber Table feet. • 10052031 00 External Mounting Brackets. • 10061203 00 Terminal rails (TS 15). • 10052131 00 External Hinges. • 10093310 00 Thumb screws. • 10089023 00 Mounting Plate. • 10082013 00 3.3mm Silicone gasket. • 10082021 00 2.62mm RFI Gasket (17.71" length). • 10093214 00 M4.7x7.8mm Self tapping screw for mounting plate.




03081609 / 09081609 / 33081609 00

External Dimensions: L160 x W80 x H85 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093133 00 M4x24 Stainless steel captive combo head lid screws. • 10082002 00 2.7mm Neoprene Gasket (17.72" length).
Accessories
<ul style="list-style-type: none"> • 10086123 00 Brass Mounting Inserts. • 10093163 00 Safety Lid screws. • 10093092 00 Allen head lid screws. • 10094110 00 Rubber Table feet. • 10052031 00 External Mounting Brackets. • 10061203 00 Terminal rails (TS 15). • 10052131 00 External Hinges. • 10093310 00 Thumb screws. • 10089023 00 Mounting Plate. • 10082013 00 3.3mm Silicone gasket. • 10082021 00 2.62mm RFI Gasket (17.72" length). • 10093214 00 M4.7x7.8mm Self tapping screw for mounting plate.




Polycarbonate/ABS Watertight

03121211 / 09121211 / 33121211 00

External Dimensions: L 122 x W 120 x H 105 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093050 00 M4x45 Stainless steel captive combo head lid screws. • 10082002 00 2.7mm Neoprene Gasket (17.72" length).
Accessories
<ul style="list-style-type: none"> • 10086123 00 Brass Mounting Inserts. • 10094110 00 Rubber Table feet. • 10052031 00 External Mounting Brackets. • 10061304 00 Terminal rails (TS 32). • 10061324 00 Terminal rails (TS 35). • 10052131 00 External Hinges. • 10089002 00 Mounting Plate. • 10082013 00 3.3mm Silicone gasket. • 10082021 00 2.62mm RFI Gasket (17.72" length). • 10093214 00 M4.7x7.8mm Self tapping screw for mounting plate.




03121609 / 09121609 / 33121609 00

External Dimensions: L160 x W120 x H90 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093045 00M4x37 Stainless steel captive combo head lid screws. • 10082002 00 2.7mm Neoprene Gasket (19.69" length).
Accessories
<ul style="list-style-type: none"> • 10086123 00 Brass Mounting Inserts. • 10094110 00 Rubber Table feet. • 10052031 00 External Mounting Brackets. • 10061305 00 Terminal rails (TS 32). • 10061325 00 Terminal rails (TS 35). • 10052131 00 External Hinges. • 10089006 00 Mounting Plate. • 10082013 00 3.3mm Silicone gasket. • 10082021 00 2.62mm RFI Gasket (19.69" length). • 10093214 00 M4.7x7.8mm Self tapping screw for mounting plate.






03121614 / 09121614 / 33121614 00

External Dimensions: L 160 x W 120 x H 140 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093072 00 M4x90 Stainless steel captive combo head lid screws. • 10082002 00 2.7mm Neoprene Gasket (19.69" length).
Accessories
<ul style="list-style-type: none"> • 10086123 00 Brass Mounting Inserts. • 10094110 00 Rubber Table feet. • 10052031 00 External Mounting Brackets. • 10061305 00 Terminal rails (TS 32). • 10061325 00 Terminal rails (TS 35). • 10052131 00 External Hinges. • 10089006 00 Mounting Plate. • 10082013 00 3.3mm Silicone gasket. • 10082021 00 2.62mm RFI Gasket (19.69" length). • 10093214 00 M4.77.8mm Self tapping screw for mounting plate.




03122008 / 09122008 / 03122008 00

External Dimensions: L 200 x W 120 x H 75 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093133 00 M4x24 Stainless steel captive combo head lid screws. • 10082002 00 2.7mm Neoprene Gasket (23.23" length).
Accessories
<ul style="list-style-type: none"> • 10086123 00 Brass Mounting Inserts. • 10093163 00 Safety Lid screws. • 10093092 00 Allen Head Lid screws. • 10094110 00 Rubber Table feet. • 10052031 00 External Mounting Brackets. • 10061306 00 Terminal rails (TS 32). • 10061326 00 Terminal rails (TS 35). • 10052131 00 External Hinges. • 10093310 00 Thumb screws. • 10089003 00 Mounting Plate. • 10082013 00 3.3mm Silicone gasket. • 10082021 00 2.62mm RFI Gasket (23.23" length). • 10093214 00 M4.77.8mm Self tapping screw for mounting plate.



Dimensional Drawings


Polycarbonate/ABS Watertight

03122009 / 09122009 / 33122009 00

External Dimensions: L200 x W120 x H90 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093045 00 M4x37 Stainless steel captive combo head lid screws. • 10082002 00 2.7mm Neoprene Gasket (23.23" length).
Accessories
<ul style="list-style-type: none"> • 10086123 00 Brass Mounting Inserts. • 10094110 00 Rubber Table feet. • 10052031 00 External Mounting Brackets. • 10061306 00 Terminal rails (TS 32). • 10061326 00 Terminal rails (TS 35). • 10052131 00 External Hinges. • 10089003 00 Mounting Plate. • 10082013 00 3.3mm Silicone gasket. • 10082021 00 2.62mm RFI Gasket (23.23" length). • 10093214 00 M4.7x7.8mm Self tapping screw for mounting plate.




03122410 / 09122410 / 33122410 00

External Dimensions: L 240 x W 120 x H 100 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093047 00 M4x34 Stainless steel captive combo head lid screws. • 10082002 00 2.7mm Neoprene Gasket (26.77" length).
Accessories
<ul style="list-style-type: none"> • 10086123 00 Brass Mounting Inserts. • 10094110 00 Rubber Table feet. • 10052031 00 External Mounting Brackets. • 10061307 00 Terminal rails (TS 32). • 10061327 00 Terminal rails (TS 35). • 10052131 00 External Hinges. • 10089005 00 Mounting Plate. • 10082013 00 3.3mm Silicone gasket. • 10082021 00 2.62mm RFI Gasket (26.77" length). • 10093214 00 M4.7x7.8mm Self tapping screw for mounting plate.






03152008 / 09152008 / 33152008 00

External Dimensions: L200 x W150 x H75 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093046 00 M4x24 Stainless steel captive combo head lid screws. • 10082003 00 3.3mm Neoprene Gasket (25.98" length).
Accessories
<ul style="list-style-type: none"> • 10086123 00 Brass Mounting Inserts. • 10093163 00 Safety Lid screws. • 10093092 00 Allen Head Lid screws. • 10094110 00 Rubber Table feet. • 10052031 00 External Mounting Brackets. • 10061308 00 Terminal rails (TS 32). • 10061328 00 Terminal rails (TS 35). • 10052131 00 External Hinges. • 10003310 00 Thumb screws. • 10089004 00 Mounting Plate. • 10082013 00 3.3mm Silicone gasket. • 10082022 00 3mm RFI Gasket (25.98" length). • 10093214 00 M4.7x7.8mm Self tapping screw for mounting plate.




03162409 / 09162409 / 33162409 00

External Dimensions: L240 x W160 x H90 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093133 00 M4x24 Stainless steel captive combo head lid screws. • 10082002 00 2.7mm Neoprene Gasket (30.71" length).
Accessories
<ul style="list-style-type: none"> • 10086123 00 Brass Mounting Inserts. • 10093163 00 Safety Lid screws. • 10093092 00 Allen Head Lid screws. • 10089007 00 Rubber Table feet. • 10052031 00 External Mounting Brackets. • 10061307 00 Terminal rails (TS 32). • 10061327 00 Terminal rails (TS 35). • 10052131 00 External Hinges. • 10093310 00 Thumb screws. • 10089007 00 Mounting Plate. • 10082013 00 3mm Silicone gasket. • 10082021 00 2.5mm RFI Gasket (30.71" length). • 10093214 00 M4.7x7.8mm Self tapping screw for mounting plate.



Dimensional Drawings


Polycarbonate/ABS Watertight

03162412 / 09162412 / 33162412 00

External Dimensions: L 240 x W 160 x H 120 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093048 00 M4x55 Stainless steel captive combo head lid screws. • 10082002 00 2.7mm Neoprene Gasket (30.71" length).
Accessories
<ul style="list-style-type: none"> • 10086123 00 Brass Mounting Inserts. • 10094110 00 Rubber Table feet. • 10052031 00 External Mounting Brackets. • 10061307 00 Terminal rails (TS 32). • 10061327 00 Terminal rails (TS 35). • 10052131 00 External Hinges. • 10089007 00 Mounting Plate. • 10082013 00 3.3mm Silicone gasket. • 10082021 00 2.62mm RFI Gasket (30.71" length). • 10093214 00 M4.77.8mm Self tapping screw for mounting plate.




03163610 / 09163610 00

External Dimensions: L 360 x W 160 x H 101 mm

Page 1-15, 22

Standard Features
<ul style="list-style-type: none"> • 10093047 00 M4x34 Stainless steel captive combo head lid screws. • 10082003 00 3.3mm Neoprene Gasket (40.94" length).
Accessories
<ul style="list-style-type: none"> • 10086124 00 Brass Mounting Inserts. • 10094110 00 Rubber Table feet. • 10052031 00 External Mounting Brackets. • 10061309 00 Terminal rails (TS 32). • 10061329 00 Terminal rails (TS 35). • 10052131 00 External Hinges. • 10089011 00 Mounting Plate. • 10082013 00 3.3mm Silicone gasket. • 10082021 00 2.62mm RFI Gasket (40.94" length). • 10093215 00 M6.3x9.5mm Self tapping screw for mounting plate.






03082309 00 / 09082309 00 / 33082309 00

External Dimensions: L 230 x W 80 x H 85 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093133 00 M4x24 Stainless steel captive combo head lid screws. • 10082002 00 2.7 mm Neoprene gasket (23.2" length).
Accessories
<ul style="list-style-type: none"> • 10081623 00 Brass mounting Inserts. • 10093163 00 Safety lid screws. • 10093092 00 Allen head lid screws. • 10094110 00 Rubber table feet. • 10052031 00 External mounting brackets. • 10052131 00 External hinges. • 10093310 00 Thumb screws. • 10082013 00 3.3mm silicone gasket. • 10082021 00 2.62mm RFI gasket (23.2" Length). • 10093214 00 M4.7x7.8mm Self tapping screw for mounting plate.




09403615 00

External Dimensions: L 400 x W 360 x H 150 mm

Page 1-22

Standard Features
<ul style="list-style-type: none"> • 10093112 00 M6x45 Stainless steel captive combo head lid screws. • 10082003 00 3.3 mm Neoprene gasket (59.84" length).
Accessories
<ul style="list-style-type: none"> • 10081624 00 Brass mounting inserts. • 10094110 00 Rubber table feet. • 10061312 00 Terminal rail (TS 32). • 10061332 00 Terminal rail (TS 35). • 10052131 00 External hinges. • 10089134 00 Mounting plate. • 10082013 00 3.3mm silicone gasket. • 10082022 00 3mm RFI gasket (59.84" Length). • 10093215 00 M6.3x9.5 Self tapping screw for mounting plate.



Dimensional Drawings


Polycarbonate/ABS Watertight

03203615 / 09203615 / 33203615 00

External Dimensions: L 360 x W 200 x H 150 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093112 00 M6x45 Stainless steel captive combo head lid screws. • 10082003 00 3.3mm Neoprene Gasket (42.52" length).
Accessories
<ul style="list-style-type: none"> • 10086124 00 Brass Mounting Inserts. • 10094110 00 Rubber Table feet. • 10052031 00 External Mounting Brackets. • 10061310 00 Terminal rails (TS 32). • 10061330 00 Terminal rails (TS 35). • 10052131 00 External Hinges. • 10069008 00 Mounting Plate. • 10082013 00 3.3mm Silicone gasket. • 10082022 00 3mm RFI Gasket (42.52" length). • 10093215 00 M6.3x9.5 Self tapping screw for mounting plate.




03233009 / 09233009 / 33233009 00

External Dimensions: L 300 x W 230 x H 85 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093045 00 M4x37 Stainless steel captive combo head lid screws. • 10082003 00 3.3mm Neoprene Gasket (41.73" length).
Accessories
<ul style="list-style-type: none"> • 10086123 00 Brass Mounting Inserts. • 10094110 00 Rubber Table feet. • 10052031 00 External Mounting Brackets. • 10061311 00 Terminal rails (TS 32). • 10061331 00 Terminal rails (TS 35). • 10052131 00 External Hinges. • 10069009 00 Mounting Plate. • 10082013 00 3.3mm Silicone gasket. • 10082022 00 3mm RFI Gasket (41.73" length). • 10093214 00 M4.7x7.8mm Self tapping screw for mounting plate.



03233011 / 09233011 / 33233011 00

External Dimensions: L 300 x W 230 x H 110 mm

Page 1-15, 16, 22

Standard Features
<ul style="list-style-type: none"> • 10093071 00 M4x62 Stainless steel captive combo head lid screws. • 10082003 00 3.3mm Neoprene Gasket (41.73" length).
Accessories
<ul style="list-style-type: none"> • 10086123 00 Brass Mounting Inserts. • 10094110 00 Rubber Table feet. • 10052031 00 External Mounting Brackets. • 10061311 00 Terminal rails (TS 32). • 10061331 00 Terminal rails (TS 35). • 10052131 00 External Hinges. • 10089009 00 Mounting Plate. • 10082013 00 3.3mm Silicone gasket. • 10082022 00 3mm RFI Gasket (41.73" length). • 10093214 00 M4.7x7.8mm Self tapping screw for mounting plate.

