



WEBSITE PHOTOS

⚠ This dwg is for reference only, Actual dwg should be based on formal engineering dwg issued by Kang Yang.



A	B	C
8.0	3.2	5.0


 康揚企業股份有限公司  
 KANG YANG HARDWARE ENTERPRISE CO., LTD.  
 康揚塑膠(東莞)有限公司  
 KANG YANG PLASTIC(DONG GUAN) CO., LTD.  
 康哲電腦配件(吳江)有限公司  
 KANG CHE COMPUTER COMPONENTS(WUJIANG) CO., LTD.  
ISO 9001  
ISO 14001  
QC 080000

PART NUMBER		3-8	SPEC. DWG.	
TITLE				
ROUND SPACER				
MATERIAL			COLOR	
NYLON 66(UL) 94V-0			BLACK	
SIZE	SCALE	UNIT	CHECK	
A4	2:1	mm	Z.C	

PART NO	A	B	C	
3-2	2.0	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-2.5	2.5	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-3	3.0	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-3.3	3.3	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-3.5	3.5	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-4	4.0	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-4.2	4.2	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-4.5	4.5	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-5	5.0	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-5.5	5.5	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-6	6.0	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-6.35	6.35	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-7	7.0	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-7.5	7.5	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.



PART NO	A	B	C	
3-9	9.0	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-9.5	9.5	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-10	10.0	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-10.5	10.5	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-11	11.0	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-12	12.0	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-13	13.0	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-13.6	13.6	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-14	14.0	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-15	15.0	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-15.5	15.5	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-16	16.0	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-16.5	16.5	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-16.8	16.8	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.



PART NO	A	B	C
3-17	17.0	3.2	5.0
[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.			
3-17.5	17.5	3.2	5.0
[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.			
3-18	18.0	3.2	5.0
[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.			
3-19	19.0	3.2	5.0
[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.			
3-20	20.0	3.2	5.0
[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.			
3-21	21.0	3.2	5.0
[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.			
3-22	22.0	3.2	5.0
[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.			
3-23	23.0	3.2	5.0
[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.			
3-24	24.0	3.2	5.0
[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.			
3-25	25.0	3.2	5.0
[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.			
3-26	26.0	3.2	5.0
[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.			
3-27	27.0	3.2	5.0
[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.			
3-28	28.0	3.2	5.0
[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.			
3-29	29.0	3.2	5.0
[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.			



PART NO	A	B	C	
3-30	30.0	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-35	35.0	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-1.5	1.5	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-25-6	25.0	3.0	6.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
3-5.1	5.05	3.2	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.

